


No. 614 1/- (10 cents)

KAIAPOI

Man's V-Neck Pullover with Cables on Front
using Kaiapoi Worsted Double Knitting Wool

SIZES 36-42 in. CHEST



Man's V-Neck Pullover with Cables on Front

MATERIALS

15 (17-18-20) ozs. Kaiapoi Worsted Double Knitting.

2 No. 11 and 2 No. 9 Knitting Needles.

4 No. 11 Needles with points both ends.

MEASUREMENTS

To fit 36 (38-40-42) inch Chest. All round 39 (41-43-45) inches. Length: 24½ (25-25½-26) inches or length reqd. Sleeve seam: 18½ (18½-19-19) inches.

TENSION

6 sts. to 1 inch over st.st. on No. 9 needles.

CHECK YOUR TENSION VERY CAREFULLY.

ABBREVIATIONS

ALT., alternate; BEG., beginning; CONT., continue; DEC., decrease; FIN., finishing; FOLL., following; G.ST., garter stitch; INS., inches; INC., increase; K., knit; M., make; M.S.T., moss stitch; P., purl; PATT., pattern; P.S.S.O., pass slipped stitch over; REP., repeat; REM., remain; REQD., required; SL., slip; STS., stitches; ST.ST., stocking stitch; TOG., together; T.B.L., through back of loops; WL.BK., wool back; WL.FWD., wool forward.

PATTERN FOR PANEL OF 16 sts.

1st row P.2, k.2, p.2, k.4, p.2, k.2, p.2.

2nd row K.2, p.2, k.2, p.4, k.2, p.2, k.2.

3rd row P.2, k.2, sl. next 2 sts. to cable needle and leave at back of work, k.2 then p.2 from cable needle, sl. next 2 sts. to cable needle and leave at front of work, p.2, then k.2 from cable needle, k.2, p.2.

4th row K.2, p.4, k.4, p.4, k.2.

5th row P.4, k.8, p.4.

6th row K.4, p.8, k.4.

7th row P.2, sl. next 2 sts. to cable needle and leave at back of work, k.2, then p.2 from cable needle, k.4, sl. next 2 sts. to cable needle and leave at front of work, p.2 then k.2 from cable needle, p.2.

8th row K.2, p.2, k.2, p.4, k.2, p.2, k.2.

The 3rd-8th rows form the patt. and should be repeated throughout.

BACK

With No. 11 needles cast on 117 (123-129-135) sts.

1st row K.1, (p.1, k.1) to end.

2nd row P.1, (k.1, p.1) to end.

Rep. these 2 rows for 1½ ins., fin. with 2nd rib row.

Change to No. 9 needles and cont. in st.st., beg. with a k. row, until work measures 15 ins. from beg., fin. with a p. row.

Shape Armholes

Cast off 6 sts. at beg. of next 2 rows. 105 (111-117-123) sts.

Next row K.1, sl.1, k.1, p.s.s.o., k. to last 3 sts. k.2 tog., k.1.

Next row P. to end.

Rep. these 2 rows 4 (5-6-7) times more. 95 (99-103-107) sts.

Now cont. straight until armhole measures 9½ (10-10½-11) ins., fin. with a p. row.

Shape Shoulders

Cast off 10 sts. at beg. of next 4 rows then 10 (11-12-13) sts. at beg. of next 2 rows. Leave rem. 35 (37-39-41) sts. on holder.

FRONT

With No. 11 needles cast on 117 (123-129-135) sts. and work in rib as given for Back for 1½ ins., fin. with 1st rib row.

Next row Rib 42 (45-48-51), (rib 2, inc. in next st) 4 times, rib 9, (inc. in next st., rib 2) 4 times, rib to end. 125 (131-137-143) sts.

Now change to No. 9 needles and cont. in st.st. with patterned panels as follows:


1st row K.43 (46-49-52), patt. 16 as 1st patt. row, k.7, patt. 16, k. to end.

2nd row P.43 (46-49-52), patt. 16, p.7, patt. 16, p. to end.

Cont. as shown until work measures same as Back to armhole, fin. with a wrong side row.



625 Raglan Sweaters with Crew or V Neck, in Kaiapoi Worsted Double Knitting. Sizes 26-32in. Chest. Price 1/- (10 cents).



153 Boy or Girl's Pullover with V or Crew Neck in Kaiapoi Braenop Wool. Sizes 24-34in. Chest or Bust. Price 1/- (10 cents).



103 Boys' and Girls' Raglan Cardigan in Kaiapoi Glen Mist Double Knitting Wool. Sizes 22-26in. Chest. Price 1/- (10 cents).



612 Children's V-Neck Pullover with or without sleeves in Kaiapoi Worsted Double Knitting or Glen Mist Knitting Wool. Sizes 22-32in. Chest Price 1/- (10 cents).

The above patterns plus others in the comprehensive Kaiapoi range can be obtained from your wool shop or wool counter. If this is not possible you should direct your request to Kaiapoi Petone Group Textiles Limited, P.O. Box 2630, Christchurch, enclosing the correct price in stamps together with a self addressed envelope. It is essential when doing this to quote correctly the key number of the pattern leaflet desired.

IMPORTANT: These patterns have been expressly designed for use with Kaiapoi Knitting Wools.



KAIAPOI PETONE GROUP TEXTILES LTD.—COPYRIGHT

Shape Armholes and Divide for Neck

Cast off 6 sts. at beg. of next 2 rows. 113 (119-125-131) sts.

Next row K.1, sl.1, k.1, p.s.s.o., k.34 (37-40-43), patt. 16, k.3, turn and leave rem. sts. on spare needle.

Next row Patt. to end.

Next row K.1, sl.1, k.1, p.s.s.o., k.31 (34-37-40), k.2 tog., patt. 16, k.3.

Next row Patt. to end.

Cont. to dec. at armhole edge on next and foll. 2 (3-4-5) alt. rows and at same time dec. inside panel as shown on every 4th row. When armhole shaping has been completed cont. with shaping only until 34 (35-36-37) sts. rem. then cont. straight until work measures same as Back to shoulder fin. with a wrong side row.

Shape Shoulder

Cast off 10 sts. at beg. of next row then cast off 12 sts. at beg. of foll. alt. row, work 1 row then cast off rem. sts.

Return to sts. on spare needle, with right side facing, leave centre front st. on safety pin then patt. to last 3 sts., k.2 tog., k.1.

Next row Patt. to end.

Next row K.3, patt. 16, sl.1, k.1, p.s.s.o., k. to last 3 sts., k.2 tog., k.1.

Cont. to dec. at armhole edge on foll. 3 (4-5-6) alt. rows, at same time dec. at neck edge on every 4th row as shown until 34 (35-36-37) sts. rem.

Cont. until work measures same as other side to shoulder, fin. with a right side row.

Shape Shoulder as given for other side.

SLEEVES

With No. 11 needles cast on 53 (55-57-59) sts. and work in k.1, p.1.

rib as given for Back for $2\frac{1}{2}$ ins., fin. with 2nd rib row.

Change to No. 9 needles and cont. in st.st., inc. 1 st. at each end of the next and very foll. 8th row until there are 83 (87-89-93) sts. then cont. straight until sleeve seam measures $19\frac{1}{2}$ ($19\frac{1}{2}$ -20) ins., from beg., fin. with a p. row.

Shape Top

Next row K.1, sl.1, k.1, p.s.s.o., k. to last 3 sts., k.2 tog., k.1.

Next row P. to end.

Rep. these 2 rows 5 (6-7-8) times more.

Cast off 2 sts. at beg. of next 20 rows then 3 sts. at beg. of foll. 8 rows.

Cast off rem. sts.

NECKBAND

Join shoulder seams. With 4 No. 11 needles and right side of work facing, k. across back neck sts., then pick up and k. 68 (72-76-80) sts. down left neck edge, k. centre front st. then pick up and k. 68 (72-76-80) sts. up right neck edge. Cont. in rounds of k.1, p.1 rib thus:

Next round Rib to 2 sts. before centre front st., p.2 tog., k.1, p.2 tog., rib to end.

Rep. this round for $1\frac{1}{2}$ ins., then cast off in rib, dec. as before.

TO MAKE UP

Press work with a hot iron over a damp cloth. Sew in sleeves with last part of sleeve seam to cast off sts. at armholes. Join side and sleeve seams. Press seams.

WASHING INSTRUCTIONS

1. Wash both parts of a twin set together.
2. Wash dark or brightly coloured garments on their own.
3. Wash by hand in rich luke warm suds.
4. Dry flat, or hang with cord through outstretched sleeves.